

YOUR JOURNEY,

OUR LIGHTS

LKQ // STAHLGRUBER
www.stahlgruber.de

ERA S.r.l., Via F. Santi, 15 –
10024 Moncalieri (TO) Italy
www.eraspares.com

ERA long-life lighting

We now bring our 40 years of expertise
in high quality electronics and spare parts
to high quality lighting.





QUALITY

CARE

PRECISION

**These three words define
ERA's way of working:**

HIGH QUALITY OF PRODUCTS

**CARE IN PRODUCT RANGE
CONCEPTUALIZATION AND DEVELOPMENT**

**PRECISION IN DELIVERY AND
CUSTOMER SERVICE**

Each of these core values defines ERA's identity and serves as the guiding principle of its day-to-day activities. ERA is certified according to the UNI EN ISO 9001:2015 standard.

With 40 years' experience in the automotive spare parts market, ERA is an international expert in automotive electrics and electronics. ERA now sells over 14,000 references from 41 product families in over 80 countries worldwide. ERA's product offering includes switches, sensors, rotating electrics, ignition parts, fuel pumps, water pumps, EGR valves as well as wiper motors and window regulators. Product quality and reliability are absolutely essential to ERA's philosophy and business strategy.

For this reason, all ERA products are thoroughly tested in the internal quality department, further supplemented by close partnerships with impartial quality-testing and approval institutes.



**YEARS
OF EXPERIENCE
PUT INTO EACH BULB**

**The ERA legacy of excellence in electric
and electronic spare parts has now been
extended to illuminate your path with precision.**

With over 40 years of experience providing high-quality electronic parts, ERA is now extending its legacy of excellence by offering lighting solutions. This expansion ensures we continue meeting the same stringent standards of our customers trust.

ERA leads in tailored solutions catering to individual desires. Our new bulbs span the market, prioritizing quality. Our Halogen, Long Life, Performance, Xenon, LED and Kit have all been specially designed.

We also offer LEDs, so you always have the right solution. This highly competitive range exceeds expectations with superior quality.



THOROUGHLY TESTED, GLOBALLY APPROVED

High quality and long-lasting bulbs. Vital aspect for safe and reliable illumination.

CHOOSE THE HIGHEST STANDARDS

Crafted to meet OE standards

Full compliance with IEC regulations

Budget-friendly pricing

Extensive selection of over 160 references, ideal for both passenger cars and commercial vehicles (12V & 24V)

Lighting up the 98% of the European car park

Like-for-like replacements

Excellence in quality, efficiency, and performance embody our unwavering commitment to meeting aftermarket lighting demands



Guaranteeing top-notch performance, IEC standards set the bar for lamp life, luminous flux maintenance, and torsion strength – ensuring durability and reliability.



ECE, the European standard, defines the essential characteristics for bulbs to grace European roadways. For Xenon bulbs, we go a step further with ECE-R99 certification.



ERA's entire range boasts E-mark, a certification signifying compliance with ECE standards. Plus, our bulbs are ECE-99R approved across the board. Our LED and Rally bulbs are intended exclusively for off-road use.



We subject our bulbs to rigorous tests throughout the production process, ensuring quality at every stage.



Best-in-class Japanese tungsten filaments have impressively extended bulb lifespan by 700 hours on average.*



ERA bulbs also come with service and emergency kits.



Experience the brilliance of quality bulbs that truly go the extra mile!

* Referred to H7 standard halogen bulb

OVERVIEW OF THE ERA RANGE



HALOGEN BULBS

Impeccable quality from ERA, offering an exceptional balance of performance and price. Don't miss our Xenon 'Look' bulbs in H1, H4, H7, HB3, HB4 with 4200K.



PERFORMANCE BULBS

Our Performance +50%, +100%, +150% bulbs give a greater driving comfort and brighter beam performance than our standard bulbs.



LONG LIFE BULBS

ERA Long Life bulbs offer extended lifetime outlasting our Halogen bulbs. Choose eco-friendliness with less frequent replacements.



XENON BULBS

ERA boasts one of the widest Xenon ranges in the Aftermarket. Experience superior light output for safer nighttime driving.



LED BULBS

Where efficiency meets innovation. ERA's LED bulbs are not just energy-efficient; they come close to replicating natural daylight. Experience groundbreaking longevity and brilliant illumination.



BULBS KIT

Bulb kits contain all usual bulbs and fuses. ERA Service Kits are your go-to solution for essential maintenance and repair, ensuring you stay self-reliant during those long journeys.

HALOGEN

High filling degree of gas to ensure best-in-class lifespan

Quartz glass with UV block, prevents fading of Headlight reflectors and glass

Best-in-class Japanese tungsten filaments

IEC 60810 certified sockets for correct fitting on any applications

Welded bulb wires prevent vibration-induced breakdown

Protective foam on all halogen bulb box to avoid any damage during transportation

PACKAGING

Single blister, single box

VERSIONS AVAILABLE

H1, H3, H4, H7, H8, H9, H10, H11, H13, H15, H16, HB3, HB4, H9B, HIR2, H27W/2 PSX24W R2 VISIO, R2 ROUND, R2, DUPLO



PERFORMANCE

Between +50% and +150% more extended beam performance

More light for greater visibility

Meets ECE-37R global standard

Shorter reaction times

More comfortable, safer driving thanks to increased visibility

PACKAGING

Single boxes

VERSIONS AVAILABLE

H1, H3, H4, H7, H8, H11, HB3, HB4

LONG LIFE

- Extended lifetime
- Easy life thanks to longer service life
- Meets ECE-37R global standard
- Environmentally friendly option

PACKAGING

Single blister, single box, box with 10 pieces

VERSIONS AVAILABLE

H4, H7, H11, HIR2, P21/5W



LED

- The most innovative bulb in terms of lifespan and lightning
- Modern auxiliary lighting with 6000K state-of-the-art color
- Improved driving comfort thanks to white light
- Better-defined details thanks to light contrast
- Energy efficient, close to daylight

PACKAGING

10pcs. in each box

VERSIONS AVAILABLE

C5W, W5W, W16W, P21/5W, P21, Festoon



XENON

- Better light output leading to a safer driving in dark conditions
- From 4300 to 6000K
- Elevate gas filling for high lumen output
- Minimal color shift across entire lifespan
- D3, D4, D8 are completely mercury free
- D1, D3, D8 with a built-in igniter, D2, D4 with an external ballast igniter
- Extended range
- ECE-R99 certification

PACKAGING

Single boxes

VERSIONS AVAILABLE

D1R, D2R, D4R, D1S, D2S, D3S, D4S, D8S



KIT

- Including common vehicle bulbs, mini fuses and fuses

PACKAGING

Emergency box and dedicated composition

VERSIONS AVAILABLE

H1/H7, H7, H4, H1+H4+H7

TECHNICAL SPECIFICATIONS



HALOGEN

LAMP TYPE	PRODUCT LINE	BRIGHTNESS	KELVIN	GLASS COLOUR	ARTICLE NUMBER	VOLTAGE [V]	POWER [W]	SOCKET	PACKAGING	QUANTITY
H1	STANDARD	-	-	-	E013LL-1C	12	55	P14.5s	BOX	1
H1	STANDARD	-	-	-	E121SD-1C	24	70	P14.5s	BOX	1
H1	BRIGHTER	+100%	-	-	E118BR-1C	12	55	P14.5s	BOX	1
H1	BRIGHTER	+150%	-	-	E117BR-1C	12	55	P14.5s	BOX	1
H1	XENON LOOK	-	4200	-	E133XE-1C	12	55	P14.5s	BOX	1
H3	STANDARD	-	-	-	E031LL-1C	12	55	PK22s	BOX	1
H3	BRIGHTER	+100%	-	-	E132BR-1C	12	55	PK22s	BOX	1
H3	BRIGHTER	+150%	-	-	E120BR-1C	12	55	PK22s	BOX	1
H3	STANDARD	-	-	-	E073HD-1C	24	70	PK22s	BOX	1
H3	RALLY	-	-	-	E141RY-1C	12	100	PK22s	BOX	1
H4	STANDARD	-	-	-	E006SD-1C	12	60/55	P43t-38	BOX	1
H4	STANDARD	-	-	YELLOW	E088SD-1C	12	60/55	P43t-38	BOX	1
H4	STANDARD	-	-	-	E071HD-1C	24	75/70	P43t-38	BOX	1
H4	LONG LIFE	-	-	-	E046LL-1C	12	60/55	P43t-38	BOX	1
H4	BRIGHTER	+50%	-	-	E056BR-1C	12	60/55	P43t-38	BOX	1
H4	BRIGHTER	+100%	-	-	E114BR-1C	12	60/55	P43t-38	BOX	1
H4	BRIGHTER	+150%	-	-	E115BR-1C	12	60/55	P43t-38	BOX	1
H4	RALLY	-	-	-	E122RY-1C	12	100/90	P43t-38	BOX	1
H4	XENON LOOK	-	4200	-	E113XE-1C	12	60/55	P43t-38	BOX	1
H7	STANDARD	-	-	-	E002SD-1C	12	55	PX26d	BOX	1
H7	LONG LIFE	-	-	-	E008LL-1C	12	55	PX26d	BOX	1
H7	LONG LIFE	-	-	-	E019LL-1C	24	70	PX26d	BOX	1
H7	BRIGHTER	+100%	-	-	E110BR-1C	12	55	PX26d	BOX	1
H7	BRIGHTER	+150%	-	-	E111BR-1C	12	55	PX26d	BOX	1
H7	RALLY	-	-	-	E096RY-1C	12	100	PX26d	BOX	1
H7	XENON LOOK	-	4200	-	E109XE-1C	12	55	PX26d	BOX	1
H8	STANDARD	-	-	-	E042SD-1C	12	35	PGJ19-1	BOX	1
H8	BRIGHTER	+150%	-	-	E130BR-1C	12	35	PGJ19-1	BOX	1
H9	STANDARD	-	-	-	E092SD-1C	12	65	PGJ19-5	BOX	1
H10	STANDARD	-	-	-	E082SD-1C	12	42	PY20d	BOX	1
H11	LONG LIFE	-	-	-	E032LL-1C	12	55	PGJ19-2	BOX	1
H11	BRIGHTER	+100%	-	-	E119BR-1C	12	55	PGJ19-2	BOX	1
H13	STANDARD	-	-	-	E105SD-1C	12	60/55	P26.4t	BOX	1

TECHNICAL SPECIFICATIONS

LAMP TYPE	PRODUCT LINE	BRIGHTNESS	KELVIN	GLASS COLOUR	ARTICLE NUMBER	VOLTAGE [V]	POWER [W]	SOCKET	PACKAGING	QUANTITY
H15	STANDARD	-	-	-	E065SD-1C	12	55/15	PGJ23T-1	BOX	1
H16	STANDARD	-	-	-	E103SD-1C	12	19	PGJ19/3	BOX	1
HB3	STANDARD	-	-	-	E037SD-1C	12	60	P20d	BOX	1
HB3	BRIGHTER	+100%	-	-	E140BR-1C	12	60	P20d	BOX	1
HB3	XENON LOOK	-	4200	-	E134XE-1C	12	60	P20d	BOX	1
HB4	STANDARD	-	-	-	E044SD-1C	12	51	P22d	BOX	1
HB4	BRIGHTER	+150%	-	-	E135BR-1C	12	51	P22d	BOX	1
HB4	XENON LOOK	-	4200	-	E090XE-1C	12	51	P22d	BOX	1
H9B	STANDARD	-	-	-	E102SD-1C	12	65	PGJY19-5	BOX	1
HIR2	LONG LIFE	-	-	-	E030LL-1C	12	55	PX22d	BOX	1
H27W/2	STANDARD	-	-	-	E104SD-1C	12	27	PGJ13	BOX	1
PSX24W	STANDARD	-	-	-	E094SD-1C	12	24	PG20-7	BOX	1
R2 VISIO	STANDARD	-	-	-	E084SD-1C	12	45/40	P45t-41	BOX	1
R2 ROUND	STANDARD	-	-	-	E095SD-1C	12	45/40	P45t-41	BOX	1
R2	STANDARD	-	-	YELLOW	E142SD-1C	12	45/40	P45t-41	BOX	1
DUPLO	STANDARD	-	-	-	E087SD-1C	12	45/50	BA20d	BOX	1



XENON

LAMP TYPE	PRODUCT LINE	BRIGHTNESS	KELVIN	GLASS COLOUR	ARTICLE NUMBER	VOLTAGE [V]	POWER [W]	SOCKET	PACKAGING	QUANTITY
D1R	XENON	-	4300	-	E107XE-1C	85	35	Pk32d-3	BOX	1
D1S	XENON	-	5000	-	E128XE-1C	85	35	Pk32d-2	BOX	1
D1S	XENON	-	4300	-	E026XE-1C	85	35	Pk32d-2	BOX	1
D1S	XENON	-	6000	-	E127XE-1C	85	35	Pk32d-2	BOX	1
D2R	XENON	-	4300	-	E079XE-1C	85	35	Pk32d-3	BOX	1
D2S	XENON	-	5000	-	E129XE-1C	85	35	Pk32d-2	BOX	1
D2S	XENON	-	6000	-	E126XE-1C	85	35	Pk32d-2	BOX	1
D2S	XENON	-	4300	-	E038XE-1C	85	35	Pk32d-2	BOX	1
D3S	XENON	-	4300	-	E036XE-1C	42	35	Pk32d-5	BOX	1
D4R	XENON	-	4300	-	E108XE-1C	42	35	Pk32d-6	BOX	1
D4S	XENON	-	4300	-	E081XE-1C	42	35	Pk32d-5	BOX	1
D8S	XENON	-	4300	-	E097XE-1C	42	25	Pk32d-1	BOX	1

TECHNICAL SPECIFICATIONS



SIGNALING BULBS

LAMP TYPE	PRODUCT LINE	GLASS COLOUR	ARTICLE NUMBER	VOLTAGE [V]	POWER [W]	SOCKET	PACKAGING	QUANTITY
C5W	STANDARD	-	E009LL-10C	12	5	SV8.5-8	BOX	10
C5W	STANDARD	-	E052SD-10C	24	5	SV8.5-8	BOX	10
C10W	STANDARD	-	E023SD-10C	12	10	SV8.5-8	BOX	10
T4W	STANDARD	-	E085SD-10C	6	4	BA9s	BOX	10
T4W	STANDARD	-	E018SD-10C	12	4	BA9s	BOX	10
T4W	STANDARD	-	E067HD-10C	24	4	BA9s	BOX	10
T5	STANDARD	-	E089SD-10C	12	1.2	W2x4.6d	BOX	10
T6.5	STANDARD	-	E050SD-10C	12	2	BA7s	BOX	10
T15	STANDARD	-	E043SD-10C	12	10	W2.1x9.5d	BOX	10
T15	STANDARD	-	E017SD-10C	12	21	W2.1x9.5d	BOX	10
W1.2W	STANDARD	-	E012SD-10C	12	1.2	W2x4.6d	BOX	10
W1.2W	STANDARD	-	E047SD-10C	24	1.2	W2x4.6d	BOX	10
W2.3W	STANDARD	-	E039SD-10C	12	2.3	W2x4.6d	BOX	10
W3W	STANDARD	-	E021SD-10C	12	3	W2.1x9.5d	BOX	10
W3W	STANDARD	-	E074SD-10C	24	3	W2.1x9.5d	BOX	10
W5W	STANDARD	-	E001LL-1C	12	5	W2.1x9.5d	BOX	1
W5W	STANDARD	-	E001LL-10C	12	5	W2.1x9.5d	BOX	10
W5W	STANDARD	-	E034SD-10C	24	5	W2.1x9.5d	BOX	10
WY5W	STANDARD	AMBER	E016SD-10C	12	5	W2.1x9.5d	BOX	10
W16W	STANDARD	-	E011SD-10C	12	16	W2.1x9.5d	BOX	10
WY16W	STANDARD	AMBER	E061SD-10C	12	16	W2.1x9.5d	BOX	10
W21W	STANDARD	-	E020SD-10C	12	21	W3x16d	BOX	10
WY21W	STANDARD	AMBER	E041SD-10C	12	21	W3x16d	BOX	10
W21/5W	STANDARD	-	E010SD-10C	12	21/5	W3x16q	BOX	10
P13W	STANDARD	-	E098SD-1C	12	13	PG18.5d-1	BOX	1
P21W	STANDARD	-	E003LL-1C	12	21	BA15s	BOX	1
P21W	STANDARD	-	E003LL-10C	12	21	BA15s	BOX	10
P21W	STANDARD	AMBER	E028SD-10C	12	21	BA15s	BOX	10
P21W	STANDARD	RED	E077SD-10C	12	21	BA15s	BOX	10
P21W	STANDARD	-	E024SD-10C	24	21	BA15s	BOX	10
P21W	STANDARD	AMBER	E078SD-10C	24	21	BA15s	BOX	10
P21/4W	STANDARD	-	E025SD-10C	12	21/4	BAZ15d	BOX	10
P21/5W	STANDARD	-	E004SD-1C	12	21/5	BAY15d	BOX	1

TECHNICAL SPECIFICATIONS

LAMP TYPE	PRODUCT LINE	GLASS COLOUR	ARTICLE NUMBER	VOLTAGE [V]	POWER [W]	SOCKET	PACKAGING	QUANTITY
P21/5W	STANDARD	-	E004SD-10C	12	21/5	BAY15d	BOX	10
P21/5W	LONG LIFE	-	E112LL-10C	12	21/5	BAY15d	BOX	10
P21/5W	STANDARD	AMBER	E070SD-10C	12	21/5	BAY15d	BOX	10
P21/5W	STANDARD	RED	E083SD-10C	12	21/5	BAY15d	BOX	10
P21/5W	STANDARD	-	E068SD-10C	24	21/5	BAY15d	BOX	10
PCY16W	STANDARD	AMBER	E091SD-1C	12	16	PU20d/2	BOX	1
PR21W	STANDARD	RED	E055SD-10C	12	21	BAW15s	BOX	10
PR21/5W	STANDARD	RED	E060SD-10C	12	21/5	BAW15d	BOX	10
PS19W	STANDARD	-	E099SD-1C	12	19	PG20/1	BOX	1
PSY24W	STANDARD	AMBER	E101SD-1C	12	24	PG20/4	BOX	1
PY21W	STANDARD	AMBER	E005LL-1C	12	21	BAU15s	BOX	1
PY21W	STANDARD	AMBER	E005LL-10C	12	21	BAU15s	BOX	10
PY21W	STANDARD	AMBER	E053SD-10C	24	21	BAU15s	BOX	10
PY24W	STANDARD	AMBER	E100SD-1C	12	24	PGU20/4	BOX	1
P27/7W	STANDARD	-	E058SD-10C	12	27/7	W2.5x16q	BOX	10
P27/7W (3057)	STANDARD	-	E064SD-10C	12	27/7	W2.5x16q	BOX	10
PY27/7W	STANDARD	AMBER	E059SD-10C	12	27/7	W2.5x16q	BOX	10
P26W	STANDARD	-	E062HD-10C	28	26	BA15s	BOX	10
H6W	STANDARD	-	E022SD-10C	12	6	BAX9s	BOX	10
HP24W	STANDARD	-	E048SD-1C	12	24	HPSL2A	BOX	1
HP24WY	STANDARD	AMBER	E106SD-1C	12	24	HPSL2A	BOX	1
H21W	STANDARD	-	E035SD-10C	12	21	BAY9s	BOX	10
HY21W	STANDARD	AMBER	E072LL-10C	12	21	BAW9s	BOX	10
BAX	STANDARD	-	E069SD-10C	12	1.2	B8.5d/2	BOX	10
BAX	STANDARD	-	E123HD-10C	24	1	B8.5d	BOX	10
R5W	STANDARD	-	E007LL-1C	12	5	BA15s	BOX	1
R5W	STANDARD	-	E007LL-10C	12	5	BA15s	BOX	10
R5W	STANDARD	-	E015SD-10C	24	5	BA15s	BOX	10
R10W	STANDARD	-	E014LL-10C	12	10	BA15s	BOX	10
R10W	STANDARD	-	E029SD-10C	24	10	BA15s	BOX	10
E10	STANDARD	-	E076SD-10C	12	3	E10	BOX	10
Festoon T10.5x30mm	STANDARD	-	E040SD-10C	12	10	SV8.5-8	BOX	10
Festoon T10.5x31mm	STANDARD	-	E066SD-10C	12	5	SV8.5-8	BOX	10
Festoon T10.5x38mm	STANDARD	-	E033SD-10C	12	10	SV8.5-8	BOX	10
Festoon T10.5x43mm	STANDARD	-	E063SD-10C	12	5	SV8.5-8	BOX	10
Festoon T11x36mm	STANDARD	-	E093SD-10C	6	5	SV8.5-8	BOX	10
Festoon T15x41mm	STANDARD	-	E049SD-10C	12	18	SV8.5-8	BOX	10

TECHNICAL SPECIFICATIONS



LED

LAMP TYPE	PRODUCT LINE	KELVIN	GLASS COLOUR	ARTICLE NUMBER	VOLTAGE [V]	POWER [W]	SOCKET	PACKAGING	QUANTITY
C5W	LED	6000	-	E116LD-10C	12	1	SV8,5-8	BOX	10
W5W	LED	6000	-	E139LD-10C	12	1	W2.1x9.5d	BOX	10



SERVICE KIT

KIT TYPE	ARTICLE NUMBER	PACKAGING	QUANTITY	AUXILIARY LAMPS	FUSES
H7 12V	E027KT	SERVICE KIT	12	P21W (12V, 21W, BA15s socket)	Flat blade fuse (10A)
H1+H7 12V	E051KT	SERVICE KIT	13	P21/5W (12V, 21W, BAY15d socket)	Flat blade fuse (20A)
H4 12V	E054KT	SERVICE KIT	12	PY21W Amber (12V, 21W, BAU15s socket)	Flat blade fuse (30A)
H1+H4+H7	E143KT	SERVICE KIT	14	W5W (12V, 5W, W2.1x9.5d socket)	Mini Flat (5A)
				R5W (12V, 5W, BA15s socket)	Mini Flat (7,5A)
					Mini Flat (10A)

TECHNICAL SPECIFICATIONS



BLISTERS

LAMP TYPE	PRODUCT LINE	GLASS COLOUR	ARTICLE NUMBER	VOLTAGE [V]	POWER [W]	SOCKET	PACKAGING	QUANTITY
H1	STANDARD	-	E013LL-1B	12	55	P14,5s	BLISTER	1
H4	STANDARD	-	E006SD-1B	12	60/55	P43t-38	BLISTER	1
H7	STANDARD	-	E002SD-1B	12	55	PX26d	BLISTER	1
H7	LONG LIFE	-	E008LL-1B	12	55	PX26d	BLISTER	1
C5W	STANDARD	-	E009LL-2B	12	5	SV8,5-8	BLISTER	2
C10W	STANDARD	-	E023SD-2B	12	10	SV8,5-8	BLISTER	2
W1.2W	STANDARD	-	E012SD-2B	12	1.2	W2x4.6d	BLISTER	2
W3W	STANDARD	-	E021SD-2B	12	3	W2.1x9.5d	BLISTER	2
W5W	STANDARD	-	E001LL-2B	12	5	W2.1x9.5d	BLISTER	2
WY5W	STANDARD	AMBER	E016SD-2B	12	5	W2.1x9.5d	BLISTER	2
W16W	STANDARD	-	E011SD-2B	12	16	W2.1x9.5d	BLISTER	2
W21W	STANDARD	-	E020SD-2B	12	21	W3x16d	BLISTER	2
W21/5W	STANDARD	-	E010SD-2B	12	21/5	W3x16q	BLISTER	2
P21W	STANDARD	-	E003LL-2B	12	21	BA15s	BLISTER	2
P21W	STANDARD	AMBER	E028SD-2B	12	21	BA15s	BLISTER	2
P21W	STANDARD	-	E024SD-2B	24	21	BA15s	BLISTER	2
PY21W	STANDARD	AMBER	E005LL-2B	12	21	BAU15s	BLISTER	2
P21/4W	STANDARD	-	E025SD-2B	12	21/4	BAZ15d	BLISTER	2
P21/5W	STANDARD	-	E004SD-2B	12	21/5	BAY15d	BLISTER	2
R5W	STANDARD	-	E007LL-2B	12	5	BA15s	BLISTER	2
R5W	STANDARD	-	E015SD-2B	24	5	BA15s	BLISTER	2
R10W	STANDARD	-	E014LL-2B	12	10	BA15s	BLISTER	2
T4W	STANDARD	-	E018SD-2B	12	4	BA9s	BLISTER	2